

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	"nested data structure"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 16:52
L2	2878	map\$4 with row\$1 with column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 16:55
L3	207	2 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 16:56
L4	419	map\$4 with row\$1 with column\$1 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:36
L5	74	4 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:25
L6	19	4 and "707"/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 16:56
L7	0	4 and "nested data structure"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:35
L8	106	map\$4 with (table\$1 or schema\$1) with row\$1 with column\$1 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:39
L9	7	map\$4 with (table\$1 or schema\$1) with (cell near5 row\$1) with column\$1 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:37

L10	2264	map\$4 with (cell\$1 or row) with column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:39
L11	121	map\$4 with (cell\$1 near5 row) with column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:04
L12	15	11 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:40
L13	41	(map\$4 with row\$1 with column\$1) same (one-to-one or one-to-many or many-to-many)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:05
L14	42	(map\$4 with row\$1 with column\$1) same (one-to-one or one-to-many or many-to-many or many-to-one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:06
L15	3	14 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:05
L16	807	(map\$4 with (table\$1 or schema\$1 or row\$1 or column\$1)) same (one-to-one or one-to-many or many-to-many or many-to-one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:11
L17	178	16 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:07
L18	4545	map\$4 with (one-to-one or one-to-many or many-to-many or many-to-one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:11
L19	430	map\$4 with (one-to-one or one-to-many or many-to-many or many-to-one) with table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:12

L20	29	map\$4 with (one-to-one or one-to-many or many-to-many or many-to-one) with row\$1 with column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:13
L21	1	20 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:13
L22	45	map\$4 with (one-to-one or 1-1 or 1-N or N-1 or one-to-many or many-to-many or many-to-one) with row\$1 with column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:15
L23	3	22 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:14
L24	93	map\$4 with (one-to-one or 1-1 or 1-N or N-1 or one-to-many or many-to-many or many-to-one) with column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:15
L25	549	map\$4 with (one-to-one or 1-1 or 1-N or N-1 or one-to-many or many-to-many or many-to-one) with (column\$1 or table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:15
L26	125	25 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:24
L27	34	25 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:25
L28	2	25 and IBM.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:26
L29	8	25 and oracle.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:26